

SAFETY JOGGER
SAFETY SHOES

SAFETY JOGGER
TACTICAL
MILITARY | LAW ENFORCEMENT | SECURITY



TaPEfor
your safety 

www.tapefor.com

UNBELIEVABLY LIGHT,
INCREDIBLY STRONG



best **QUALITY** | best **PRICE** | great **CHOICE**

EXTREME LIGHT SAFETY SHOE



SJ HYBRID insole

The new SJ Hybrid insole is developed with an exceptional perforated structure. This ensures Lightness, Air Breathability and Comfort all day long. The SJ Hybrid insole takes full-surface foot support to the next level while maintaining all other features such as Shock Impact zone, Arch support, Shock Absorption, Electro Static Discharge. With the SJ Hybrid insole, your feet will feel comfortable and fresh all day long.




2

SJ-3FIT technology*

Safety on the work floor is crucial, however good fitting safety footwear is key for comfortable feet! The SJ-3FIT technology was engineered to guarantee an optimal fitting because when safety shoes fit perfectly, you will have more grip leading to more safety.




- outstanding features
- flexible more width concept
- optimal absorption in the heel and forefoot
- support through the midfoot pelotte
- built-in climate regulation through perforated microfiber
- skin friendly according to Öko-Tex
- suitable for ESD shoes
- washable at 30 °C
- sizes: EU 38 - 48 | UK 5 - 13 | US 5.5 - 13.5 | CM 25 - 31.5



*the SJ-3FIT insole is not the standard insole, it can be ordered separately.

SRC certified slip resistance

The SRC standard meets the requirements of both SRA and SRB, meaning the slip resistance of the outsole was tested on a ceramic tile wetted with a dilute soap solution and on smooth steel plate with glycerol. Safety Jogger's slip resistant outsoles pass both tests with grace and do not only fulfill the minimum standards, but exceed them remarkably.




TECHNOMESH lining

The breathable technomesh keeps your feet dry and comfortable. As you walk, air is pushed and circulated through the fibers allowing the skin to breathe. 360° foam guarantees a great support feeling around the foot.

PUNCTURE RESISTANT LIGHTWEIGHT midsole


The puncture resistant midsole is made of Aramid (woven fabrics with high tenacity) which make these safety shoes light and metal free. It prevents puncture flesh wounds which are particularly awful and can lead to dangerous infections and/or permanent foot damage. The midsole is also flexible, which leads to more comfortable walking.



NANO CARBON toecap

Innovative Carbon Nanofiber material makes these safety toes the lightest and most advanced safety toe available on the market. The weight of the SJ Nano Carbon toe cap is 50% less than a traditional steel safety toe cap and 40% less than a standard composite toe cap. The toe cap will not conduct heat nor cold, will not activate metal detectors, is non-magnetic, and static free, thus ensuring safety first!

NANO CARBON ULTRA LIGHT TOECAP







absolute S1P



NAV



ligero S1P



NAV

Extreme light navy mid-cut safety shoe

Upper	Breathable mesh
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Weight	425 gr. / 0,94 lb
Category	S1P / SRC ESD
Size Range	EU 36-47 · UK 3.5-12 · US 4-13 · CM 23.5-31



Extreme light navy low-cut safety shoe

Upper	Breathable mesh
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Weight	390 gr. / 0,86 lb
Category	S1P / SRC ESD
Size Range	EU 36-47 · UK 3.5-12 · US 4-13 · CM 23.5-31



absolute S1P



BLK

ligero S1P



BLK

6

Extreme light black mid-cut safety shoe

Upper	Breathable mesh
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Weight	425 gr. / 0,94 lb
Category	S1P / SRC ESD
Size Range	EU 36-47 · UK 3.5-12 · US 4-13 · CM 23.5-31



Extreme light black low-cut safety shoe

Upper	Breathable mesh
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Weight	390 gr. / 0,86 lb
Category	S1P / SRC ESD
Size Range	EU 36-47 · UK 3.5-12 · US 4-13 · CM 23.5-31



ligero S1P



ORA

brio S2



WHT

Extreme light orange low-cut safety shoe


Upper	Breathable mesh
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Weight	390 gr. / 0,86 lb
Category	S1P / SRC ESD
Size Range	EU 36-47 · UK 3.5-12 · US 4-13 · CM 23.5-31



White low-cut safety shoe designed for the food industry

Upper	Leather
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	-
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Weight	425 gr. / 0,94 lb
Category	S2 / SRC ESD
Size Range	EU 36-47 · UK 3.5-12 · US 4-13 · CM 23.5-31





shark
S3



WATERPROOF


BLK

Black high-cut lightweight allround safety boot

Upper	Leather + nylon
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh + waterproof membrane
Insole	Ergonomic breathable SJ Hybrid
Weight	625 gr. / 1,38 lb
Category	S3 / SRC ESD WR
Size Range	EU 38-47 · UK 5-12 · US 5.5-13 · CM 25-31



dragon S3



BLK

komodo S3



BLK

Black mid-cut lightweight allround safety shoe

Upper	Leather + nylon
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Weight	499 gr. / 1,1 lb
Category	S3 / SRC ESD
Size Range	EU 38-47 · UK 5-12 · US 5.5-13 · CM 25-31



Black low-cut lightweight allround safety shoe

Upper	Leather + nylon
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Weight	445 gr. / 0,98 lb
Category	S3 / SRC ESD
Size Range	EU 38-47 · UK 5-12 · US 5.5-13 · CM 25-31





Icons overview



LIGHTWEIGHT
Ultra light safety shoes



WR
Waterproof safety shoes



WATER REPELLENT UPPERS
Safety shoes with a water repellent upper



ANTISTATIC
Antistatic safety shoes



SRC/SRA
Safety shoes with a slip resistant outsole



TOECAP
Safety shoes with a composite/steel/nano carbon toecap



PUNCTURE RESISTANCE
Safety shoes with a puncture resistant outsole



BREATHABLE UPPER
Safety shoes with a breathable upper



HEEL ENERGY ABSORPTION
Safety shoes with heel energy absorption



OIL AND FUEL RESISTANT
Safety shoes with an oil and fuel resistant outsole



ESD
Safety shoes with ElectroStatic Discharge



METAL FREE
Metal free safety shoes

International size conversion chart

MEN	SIZES													
EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	3	3,5	4	5	6	7	7,5	8	9	10	10,5	11	12	13
US	3	4	4,5	5,5	6,5	7,5	8	9	10	10,5	11,5	12	13	13,5
CM	23	23,5	24	25	25,5	26	26,5	27	28	28,5	29,5	30	31	31,5

WOMEN	SIZES							
EU	35	36	37	38	39	40	41	42
UK	3	3,5	4	5	6	6,5	7	8
US	5,5	6	6,5	7,5	8	9	9,5	10,5
CM	23	23,5	24	25	25,5	26	26,5	27



Certificates

EN20345	JIS
AS/NZS2210.3.2009	LA
GOST	SNI
ASTM	SIRIM
OHSC	

Tapefor

your safety

www.tapefor.com

Veleprodaja:
Tapefor d.o.o.
02 262 11 262
info@tapefor.com

Rastavni prostor
Trakiza Maribor 2
Tržaška cesta 14
(stari Mercator)

TRAKIZA

za vašo varnost

Maloprodaja:
Trakiza PE Maribor
Tržaška cesta 14 (stari Mercator)
2000 Maribor
Tel: 083 883 883
Email: info@trakiza.si



PROTI DRSENJU



OZNAČEVANJE TAL



ODSEVNI TRAKOVI



DELOVNI ČEVLJI



PREDPRAŽNIKI



SVETLEČI V TEMI



LEPILNI TRAKOVI



TAKTILNE OZNAKE



Spletna trgovina
varnost.trakiza.si



ZAŠČITNE ROKAVICE

SAFETY JOGGER
SAFETY SHOES

MAXGUARD
GERMAN SAFETY

SAFETY JOGGER
TRACTION BY
SHOES
FOR CREWS

OXYPAS
Professional Footwear

SAFETY JOGGER
TACTICAL
SAFETY (LAW ENFORCEMENT) SHOES